

AUTHENTIC WHITE

COLLECTION

elite
elegance





**WE EARNED REPUTATION BY TRYING TO
DO HARD THINGS WELL IN CERAMIC
INDUSTRY. OUR BRAND IS OUR VOICE
AND THE PRODUCT IS A SOUVENIR.**

Today LV Granito is the most famous brand among the architectures and interiors who loves aggressive creativity in glazed porcelain tiles. LV Granito was founded in 2016, and the main goal is to carve out a leading role in the tiles market as the first company which is providing extraordinary surfaces like Glazed Vitrified tiles, Polished Glazed Vitrified tiles, laminate wooden finish, sugar finish, metallic finish, carving finish and high glossy. Within just short period,

“LV Granito” has earned its reputation among the customers just because of aims to satisfy the needs of an individual, not only Providing Quality assurance but also providing cost effective tile with the help of Well Organized Marketing & Distribution Channel among the Indian & Overseas Market.



authentic white


collection

60x120cm

Explore our tiles with a generous 60x120 cm dimension, making them the perfect choice for any space. With a wide range of designs, they cater to every taste, ensuring your place is both stylish and versatile.



GLOSSY
SERIES



exceptional features

Discover our exceptional tiles, crafted with cutting-edge technology. Resistant to stains, scratches, frost, chemicals, heavy loads, and more. Enjoy durability, easy maintenance, and sustainable beauty for a lasting, stunning space.

**STUNNING AND
SPECTACULAR FEATURES OF
OUR TILES ENSURE LONG-
LASTING STRENGTH. WE
TRANSFORM YOUR SPACE
WITH DURABLE BEAUTY.**

**Resistant
to scratch**



**Resistant
to chemical**



**Resistant
to thermal shock**



**Resistant
to frost**



**Resistant
to stains**




**Resistant
to loads**



extra white

Captivating shades, our tiles bring unparalleled sophistication. Illuminate your space with a extra white finish, creating an atmosphere of timeless elegance and allure.



RANDOM 10



ALBETA STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm

NEW
COLLECTION




TOUCH FOR
360°



Preview of
Albeta Statuario

RANDOM 12



ATTICA STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm



TOUCH FOR
360°

NEW
COLLECTION



Preview of
Attica Statuario

RANDOM 03

BLISS STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm




TOUCH FOR
360°

NEW
COLLECTION



Preview of
Bliss Statuario

RANDOM 08



CELA STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm




TOUCH FOR
360°

NEW
COLLECTION



Preview of
Cela Statuario

RANDOM 12



DESPRO STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm



TOUCH FOR
360°

NEW
COLLECTION



Preview of
Despro Statuario

RANDOM 12

MARITACA STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm




TOUCH FOR
360°

NEW
COLLECTION



Preview of
Maritaca Statuario

RANDOM 08



MARLO STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm



TOUCH FOR
360°

NEW
COLLECTION



Preview of
Marlo Statuario

RANDOM 10



MISTRA STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm



TOUCH FOR
360°

NEW
COLLECTION



Preview of
Mistra Statuario

RANDOM 08



NIZARNA STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm



TOUCH FOR
360°

NEW
COLLECTION



Preview of
Nizarna Statuario

RANDOM 10



WAXEN STATUARIO

Size
60x120cm

Finish
Polished

Thickness
8.8mm



TOUCH FOR
360°

NEW
COLLECTION



Preview of
Waxen Statuario



TECHNICAL SPECIFICATIONS – VITRIFIED TILES- AUTHENTIC				
SR	CHARACTERISTIC	International Std. ISO 13006 / Group Bla	Specification of LV Tiles	Method of Testing

1	Length	±0.3%	±0.1%	ISO 10545-2
2	Thickness	±5%	±5%	ISO 10545-2
3	Straightness of Sides	±0.3%	±0.1%	ISO 10545-2
4	Rectangularity	±0.3%	±0.1%	ISO 10545-2
5	Surface Flatness	±0.4%	±0.1%	ISO 10545-2
6	Glossiness	Declared by manufacturer	pol-92-100%	ISO 2813(Gloss meter)
7	Water Absorption	E≤ 0.5 %	≤ 0.05 %	ISO 10545-3
8	MOH's Hardness	≥ 5	≥ 5	IS13630-13
9	Abrasion Resistance	Declared by manufacturer	PEI 3	ISO 10545-7
10	Flexural Strength (MOR)	≥ 35 N/mm2 (350 Kg/cm2)	≥ 40 N/mm2 (400 Kg/cm2)	ISO 10545 -4
11	Breaking strength	1300 Newton	1800 Newton	ISO 10545 -4
12	Density	≥ 2.0 gm/cc	> 2.3 gm/cc	DIN 51082
13	Thermal Shock Resistance	Resistant to 10 cycles	pass min10 cycles	ISO 10545 -9
14	Crazing Resistance	In conformity with the norms	Passed min 4 cycles at 7.5 kg /cm2/168° C	ISO 10545 - 11
15	Chemical Resistance HOUSEHOLD CHEMICALS & SWIMMING POOL SALTS	Min class- GB	confirm to classes-GA	ISO 10545 -13
16	Chemical Resistance LOW CONCENTRATIONS ACIDS & ALKALIS	Min class- GLB	confirm to classes-GLA	ISO 10545 -13
17	Chemical Resistance HIGH CONCENTRATIONS ACIDS & ALKALIS	min class- GHB	confirm to classes-GHA	ISO 10545 -13
18	Stain Resistance	min class-3	min confirm to class -3	ISO 10545 -14

Packing Details

Dimension	Thickness (mm)	Pcs. / Box	Sq.Mtr. / Box	Weight / Box (Kgs)
600x1200mm	8.8	2	1.44	28.5

DISCLAIMER:
LV Granito reserves the right to delete and amend either totally or partially, any of the colours, shapes, sizes, references and other technical specification contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colours, references should be verified for typographical errors.

Pallet Packing
Details



600 X 1200 MM – JUNGLE WOOD (BIG PALLET 68 BOX AND SMALL PALLET 30 BOX)				
BOX/PALLET	PALLET/CONT.	BOX/CONT.	SQM/CONT.	WEIGHT/CONT.
68 & 30	12 & 5	966	1391.04	28 TON
68 & 30	12 & 4	936	1347.84	27 TON
68 & 30	12 & 3	906	1304.64	26 TON
68 & 30	12 & 2	876	1261.44	25 TON

600 X 1200 MM – EURO PINE/JUNGLE WOOD				
BOX/PALLET	PALLET/CONT.	BOX/CONT.	SQM/CONT.	WEIGHT/CONT.
30	32	960	1382.40	28 TON
30	31	930	1399.20	27 TON
30	30	900	1296.00	26 TON
30	29	870	1252.80	25 TON

600 X 1200 MM – EURO PLASTIC PALLET				
BOX/PALLET	PALLET/CONT.	BOX/CONT.	SQM/CONT.	WEIGHT/CONT.
32	30	960	1382.40	28 TON
32	29	928	1336.32	27 TON
32	28	896	1290.24	26 TON
32	27	864	1244.16	25 TON



LAXVEER CERAMIC LLP.

Opp. Rangpar Village,
Morbi - Jetpar Road,
Morbi - 363 642, (Gujarat-India).

Email : export@lvgranito.com
Phone : +91 99248 55552

www.lvgranito.com

