

POISED  
PURPOSEFUL  
DISTINCT

Master Book '26  
1200x1800mm, 1200x1200mm, 800x1600mm, 600x1200mm



# ABOUT LV

LV Granito was founded in 2016 with the primary goal of establishing a leading position in the tiles market by offering extraordinary surface solutions. Within a short time, LV Granito has earned a strong reputation among customers for its commitment to meeting individual needs. We not only provide quality assurance but also offer cost-effective tiles through a well-organized marketing and distribution network across India and international markets.

We have a highly automated production facility equipped with state-of-the-art technology to deliver innovative and high-quality tiles. With large-scale infrastructure, an extensive production complex, and a team of talented, cooperative professionals, the company is well-positioned for growth. We have the capability to adapt to changing trends over the years by offering an extensive product range.

4

SIZES

1. 1200x1800mm / 120x180cm

2.1200x1200mm / 120x120cm

2. 800x1600mm / 80x160cm

3. 600x1200mm / 60x120cm

1

THICKNESS

1. <|> 9mm

3

SURFACES

1. Glossy Surface

2. Porsh Surface

3. Marble Surface





# ABSOLUTE BRILLIANCE

With our versatile formats, you can explore endless design possibilities, effortlessly adapting to diverse spatial concepts and architectural styles.

Whether creating seamless expanses or defining statement zones, these formats offer flexibility, precision, and a refined aesthetic that aligns with modern design needs.

1200x1800mm  
9mm

Coverage Area per Box :  
46.5 sq. ft. / 4.32 sq. m.  
Pcs. / Box ; 2

1200x1200mm  
9mm

Coverage Area per Box :  
31 sq. ft. / 2.88 sq. m.  
Pcs. / Box ; 2

800x1600mm  
9mm

Coverage Area per Box :  
27.55 sq. ft. / 2.56 sq. m.  
Pcs. / Box ; 2

600x1200mm  
8.5mm

Coverage Area per Box :  
15.5 sq. ft. / 1.44 sq. m.  
Pcs. / Box ; 2



**CMD's  
Message**

This spread of our creations intends to define your vision of a perfect space, with comprehensive designs that speak of luxury, calm, and quiet refinement.

LV Granito's portfolio here is categorized into four statements, where tiles are crafted to fit your spaces in four versatile sizes.

This PDF showcases all designs in the order of -from slabs to tiles.

**MR. JAYDEEP VASDADIYA**

(Chairman & Managing Director)





## **SURFACES THAT SUIT EVERY NEED!**

Every surface tells a story - of texture, light, and personality. These dynamic surfaces transform ordinary materials into expressive design statements, each bringing its own mood and character.

Whether bold or subtle, contemporary or timeless, these surfaces are more than just aesthetics - they are narratives that define ambience, enhance functionality, and bring design visions to life in distinctive and memorable ways.



**GLOSSY  
SURFACE**


Glossy surface  
enhances spaces  
with a smooth,  
reflective sheen that  
amplifies light and  
creates a polished,  
modern look.

**MARBLE  
SURFACE**

Marble features a  
soft sheen that  
creates an  
unmatched aura of  
luxury. Spaces that  
exude a calming  
elegance, found  
here.

**PORSH  
SURFACE**

Porsh plays with  
light to create  
sleek, seamless  
spaces that evoke  
timeless elegance  
that speaks to  
modern mindsets.



INDULGE  
FURTHER  
HERE



INDULGE  
FURTHER  
HERE



INDULGE  
FURTHER  
HERE






# SURFACE COMPARISION STRIPS

GLOSSY

MARBLE

PORSH





INDEX


CLICK ON EACH  
TILE TO EXPLORE




Alcamo Natural Endless




Amalfi White



Arco Beige Endless




Arco Bianco



Atrium White Endless



Bali White Endless



Breccia Sarda Soft Endless



Breccia Sarda Endless



Cenefa Grey Endless



Cenefa Walnut Endless




Cenefa White Endless




Colonial Gris Endless



Colonial Pearl



Corvet Bianco



Corvet Dove



Corvet Grey




Cosmic Marble Endless



Cristiano Gold Endless




Cristiano Ice Endless




Dunas White Endless




Fantasy Onyx Mint Endless



Fantasy Onyx White Endless



Finezza Bianco Endless



Frank White



Geom Beige Endless




# INDEX

CLICK ON EACH  
TILE TO EXPLORE



Geom White Endless




Gresie Bianco Endless



Gresie Ivory Endless




Grizli Grey Endless



Grizli Ice Endless



Henburg Grey




Italian Natural Endless



Java Breccia Natural Endless



Java Breccia Silver Endless



Jordan Bianco



Jordan Dark Grey




Lavica Grafite Endless



Lavica Grey Endless




Levin Beige Endless




Levin Bianco Endless



Luxor Bianco




Luxor Crema




Lyris White Endless



Marmontis Onyx Endless



Monaco Ash Endless



Monaco Bianco Endless



Museum White Endless



Nueva Onyx Celeste Endless



Nueva Onyx Cerise Endless



Nueva Onyx Pearl Endless



# INDEX

CLICK ON EACH  
TILE TO EXPLORE



Nueva Onyx Soft Endless



Onyx Prism Endless



Opera Onyx Endless



Pacific White Endless



Pantagonia Natural Endless




Pearl Bianco Endless



Prayag Onyx Snow Endless



Quercy White Endless




Sofia Bianco Endless



Sofia Grey Endless




Sofia Ivory Endless



Statuario Paradise



Statuario Presto



Taj Endless



Travertino Caravista Endless



Tuareg Onyx Beige Endless



Tuareg Onyx White Endless




Tuscan White Endless




Valluto Classico Endless



William Grigio Endless



William White



Zenith Bianco Endless



Zenith Crema Endless



Zenith Tan Endless







# ALCAMO NATURAL ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# AMALFI WHITE

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# ARCO BEIGE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# ARCO BIANCO

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# ATRIUM WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# BALI WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# BRECCIA SARDA SOFT ENDLESS



Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# BRECCIA SARDA ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# CENEFA GREY ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# CENEFA WALNUT ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# CENEFA WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# COLONIAL GRIS ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX










# COLONIAL PEARL

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# CORVET BIANCO

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX







### Cafe Pastry

Croissant  
Cinnamon rolls  
Desserts  
Cinnamon buns  
Cinnamon muffs  
Donuts  
Cinnamon Cookies  
Espresso  
Latte  
Mocha  
Cappuccino  
Americano  
Hot Chocolate  
Doughnuts



# CORVET DOVE

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# CORVET GREY

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# COSMIC MARBLE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# CRISTIANO GOLD ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# CRISTIANO ICE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# DUNAS WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# FANTASY ONYX MINT ENDLESS



Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX





# FANTASY ONYX WHITE ENDLESS



Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX










# FINEZZA BIANCO ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# FRANK WHITE

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# GEOM BEIGE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# GEOM WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# GRESIE BIANCO ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# GRESIE IVORY ENDLES

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# GRIZLI GREY ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX





# GRIZLI ICE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# HENBURG GREY

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX










# ITALIAN NATURAL ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# JAVA BRECCIA NATURAL ENDLESS



Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# JAVA BRECCIA SILVER ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# JORDAN BIANCO

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# JORDAN DARK GREY

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# LAVICA GRAFITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# LAVICA GREY ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# LEVIN BEIGE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# LEVIN BIANCO ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# LUXOR BIANCO

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# LUXOR CREMA

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# LYRIS WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# MARMONTIS ONYX ENDLESS



Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# MONACO ASH ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# MONACO BIANCO ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# MUSEUM WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# NUEVA ONYX CELESTE ENDLESS



Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# NUEVA ONYX CERISE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX





# NUEVA ONYX PEARL ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# NUEVA ONYX SOFT ENDLESS



Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# ONYX PRISM ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# OPERA ONYX ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX










# PACIFIC WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# PANTAGONIA NATURAL ENDLESS



Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# PEARL BIANCO ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# PRAYAG ONYX SNOW ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# QUERCY WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX





# SOFIA BIANCO ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# SOFIA GREY ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# SOFIA IVORY ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# STATUARIO PARADISE

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# STATUARIO PRESTO



Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX





ee Shop





# TAJ ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# TRAVERTINO CARAVISTA ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# TUAREG ONYX BEIGE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# TUAREG ONYX WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX










# TUSCAN WHITE ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# VALLUTO CLASSICO ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# WILLIAM GRIGIO ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# WILLIAM WHITE

Available Surfaces:  
**Glossy, Porsh & Marble**




1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# ZENITH BIANCO ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# ZENITH CREMA ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX









# ZENITH TAN ENDLESS

Available Surfaces:  
**Glossy, Porsh & Marble**



1200x1800mm

Thickness: 9 mm



800x1600mm

Thickness: 9 mm



600x1200mm

Thickness: 8.5 mm

TAP TO GO BACK  
TO THE INDEX





TECHNICAL SPECIFICATIONS

| CHARACTERISTIC                              | STANDARD AS PER<br>ISO-13006/EN14411<br>GROUP BIA | MEAN VALUE OF<br>LV GRANITO<br>PGVT | MEAN VALUE OF<br>LV GRANITO<br>GVT | TEST<br>METHOD |
|---------------------------------------------|---------------------------------------------------|-------------------------------------|------------------------------------|----------------|
| REGULATORY PROPERTIES                       |                                                   |                                     |                                    |                |
| Deviation in length & width                 | ±0.5 %                                            | ±0.1 %                              | ±0.1 %                             | ISO 10545-2    |
| Deviation in thickness                      | ±5.0 %                                            | ±4.0 %                              | ±4.0 %                             | ISO 10545-2    |
| Straightness in side                        | ±0.5 %                                            | ±0.1 %                              | ±0.1 %                             | ISO 10545-2    |
| Rectangularity                              | ±0.6 %                                            | ±0.1 %                              | ±0.1 %                             | ISO 10545-2    |
| Surface flatness                            | ±0.5 %                                            | ±0.2 %                              | ±0.2 %                             | ISO 10545-2    |
| Color difference                            | Unaltered                                         | No change                           | No change                          | ISO 10545-16   |
| Glossiness                                  | As per manufacturer                               | Min. 90%                            | Min. 4%                            | GLOSS METER    |
| SURFACE MECHANICAL PROPERTIES               |                                                   |                                     |                                    |                |
| Water absorption                            | < 0.50 %                                          | < 0.20 %                            | < 0.20 %                           | ISO 10545-3    |
| Apparent density                            | > 2.0 g/cc                                        | > 2.10 g/cc                         | > 2.10 g/cc                        | DIN 51082      |
| MASSIVE MECHANICAL PROPERTIES               |                                                   |                                     |                                    |                |
| Modulus of rupture                          | Min. 35 N/mm²                                     | Min. 35 N/mm²                       | Min. 35 N/mm²                      | ISO 10545-4    |
| Breaking strength                           | Min. 1300 N                                       | Min. 1700 N                         | Min. 1700 N                        | ISO 10545-4    |
| Impact resistance                           | As per manufacturer                               | Min. 0.55                           | Min. 0.55                          | ISO 10545-5    |
| SURFACE MECHANICAL PROPERTIES               |                                                   |                                     |                                    |                |
| Surface abrasion resistance                 | As per manufacturer                               | Min. Class-3                        | Min. Class-4                       | ISO 10545-7    |
| Mohs hardness                               | As per manufacturer                               | Min. 4                              | Min. 5                             | EN 101         |
| THERMO HYGROMETRIC PROPERTIES               |                                                   |                                     |                                    |                |
| Frost resistance                            | Frost proof                                       | Frost proof                         | Frost proof                        | ISO 10545-12   |
| Thermal shock resistance                    | No damage                                         | No damage                           | No damage                          | ISO 10545-9    |
| Moisture expansion                          | Nil                                               | Nil                                 | Nil                                | ISO 10545-10   |
| Thermal expansion (COE)                     | Max. 9.0 x 10 <sup>-6</sup>                       | Max. 6.5 x 10 <sup>-6</sup>         | Max. 6.5 x 10 <sup>-6</sup>        | ISO 10545-8    |
| Crazing resistance                          | As per manufacturer                               | Min. 10 Cycle                       | Min. 10 Cycle                      | ISO 10545-11   |
| CHEMICAL PROPERTIES                         |                                                   |                                     |                                    |                |
| Chemical resistance                         | No visible effect                                 | No visible effect                   | No visible effect                  | ISO 10545-13   |
| Stain resistance                            | Resistant                                         | Resistant                           | Resistant                          | ISO 10545-14   |
| SAFETY PROPERTIES                           |                                                   |                                     |                                    |                |
| Slip resistance                             | As per manufacturer                               | > 0.40                              | > 0.40                             | ISO 10545-17   |
| Fire resistance                             | As per manufacturer                               | Fireproof                           | Fireproof                          | N. A.          |
| Lead & Cadmium given off<br>by glazed tiles | As per manufacturer                               | Does not yield<br>Pb & Cd           | Does not yield<br>Pb & Cd          | ISO 10545-15   |

PACKING DETAILS

| SIZES     | THICKNESS<br>(Approx.) | PIECES / BOX | COVERAGE AREA / BOX | WT. / BOX<br>(Approx.) |
|-----------|------------------------|--------------|---------------------|------------------------|
| 120x180cm | 9mm                    | 2 pcs.       | 4.32 sq. m.         | 92 kg.                 |
| 120x120cm | 9mm                    | 2 pcs.       | 2.88 sq. m.         | 57 kg.                 |

TECHNICAL SPECIFICATIONS

| CHARACTERISTICS                                                        | STANDARD AS PER<br>ISO 13006/EN14411<br>GROUP BIA | MEAN VALUE OF<br>GLOSSY                    | MEAN VALUE OF<br>MATT                      | TEST<br>METHOD          |
|------------------------------------------------------------------------|---------------------------------------------------|--------------------------------------------|--------------------------------------------|-------------------------|
| Deviation in length & width                                            | ±0.3 %                                            | ±0.1 %                                     | ±0.1 %                                     | ISO 10545-2             |
| Deviation in thickness                                                 | ±5 %                                              | ±5 %                                       | ±5 %                                       | ISO 10545-2             |
| Straightness in side                                                   | ±0.3 %                                            | ±0.1 %                                     | ±0.1 %                                     | ISO 10545-2             |
| Rectangularity                                                         | ±0.3 %                                            | ±0.1 %                                     | ±0.1 %                                     | ISO 10545-2             |
| Surface flatness                                                       | ±0.4 %                                            | ±0.1 %                                     | ±0.1 %                                     | ISO 10545-2             |
| Glossiness                                                             | As per manufacturer                               | > 95                                       | 8-10                                       | ISO 2813<br>Gloss meter |
| Water absorption                                                       | E ≤ 0.5%                                          | ≤ 0.05 %                                   | ≤ 0.05 %                                   | ISO 10545-3             |
| Mohs hardness                                                          | ≥ 5                                               | 5                                          | 6                                          | ISO 13630-13            |
| Abrasion resistance                                                    | As per manufacturer                               | II/III                                     | III                                        | ISO 10545-7             |
| Flexural strength (MOR)                                                | ≥ 35 N/mm²<br>(350 Kg/cm²)                        | ≥ 40 N/mm²<br>(400 Kg/cm²)                 | ≥ 40 N/mm²<br>(400 Kg/cm²)                 | ISO 10545-4             |
| Breaking strength                                                      | 1300 Newton                                       | 1800 Newton                                | 1800 Newton                                | ISO 10545-4             |
| Density                                                                | ≥ 2.0 gm/cc                                       | > 2.3 gm/cc                                | > 2.3 gm/cc                                | DIN 51082               |
| Thermal shock resistance                                               | Resistant to 10 cycles                            | Pass. Min. 10 cycles                       | Pass. Min. 10 cycles                       | ISO 10545-9             |
| Crazing resistance                                                     | In conformity<br>with the norms                   | Pass. Min 4 cycles<br>at 7.5 kg/cm2/168 °C | Pass. Min 4 cycles<br>at 7.5 kg/cm2/168 °C | ISO 10545-11            |
| Chemical resistance to<br>household chemicals<br>& swimming pool salts | Min. Class - GB                                   | GB                                         | GA                                         | ISO 10545-13            |
| Chemical resistance to<br>low concentration<br>acids & alkalis         | Min. Class - GLB                                  | GLB                                        | GLA                                        | ISO 10545-13            |
| Chemical resistance to<br>high concentration<br>acids & alkalis        | Min. Class - GHB                                  | GHB                                        | GHA                                        | ISO 10545-13            |
| R Rating                                                               | As per manufacturer                               | No. Class                                  | R9                                         | ISO 10545-7             |
| Stain resistance                                                       | Min. Class - 3                                    | 4                                          | 4                                          | ISO 10545-14            |

PACKING DETAILS

| SIZES    | THICKNESS<br>(Approx.) | PIECES / BOX | COVERAGE AREA / BOX | WT. / BOX<br>(Approx.) |
|----------|------------------------|--------------|---------------------|------------------------|
| 80x160cm | 8.8mm                  | 2 pcs.       | 2.56 sq. m.         | 50 kg.                 |
| 60x120cm | 8.5mm                  | 2 pcs.       | 1.44 sq. m.         | 27 kg.                 |





**LAXVEER CERAMIC LLP**

Opp. Rangpar Village, Morbi-Jetpar Road,  
Morbi - 363 642, Gujarat, INDIA

**EXPORT**

Mobile: +91 99248 55552  
Email: [export@lvgranito.com](mailto:export@lvgranito.com)

[www.lvgranito.com](http://www.lvgranito.com)

